

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 850 671 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

01.07.1998 Bulletin 1998/27

(51) Int. Cl.⁶: A63F 3/02

(21) Application number: 97660129.4

(22) Date of filing: 26.11.1997

(84) Designated Contracting States:

AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 27.11.1996 FI 960588 U

(71) Applicant: Kyppö, Jorma
41325 Laukkavirta (FI)

(72) Inventor: Kyppö, Jorma
41325 Laukkavirta (FI)

(74) Representative:

Helke, Kimmo Kalervo
Kespät Oy,
P.O. Box 601
40101 Jyväskylä (FI)

(54) Game, especially chess

(57) The game comprises a game board (1), or other delimiting devices, delimiting a level game area (2) and a group (3, 3') of pieces for each player. In each piece there is at least one member showing the individual area of the piece, for example, a base disc (8). The game includes at least one direction scale (11) and move distance measuring device (10) for moving a piece a certain distance in a certain direction, according to the rules of the game.




Fig. 3

EP 0 850 671 A2

Description

The present invention relates to a game, especially chess, which comprises a board delimiting a level game area, a group of game pieces, for example, a king, queen, two castles, two bishops, two knights, and eight pawns, for each player.

The game of chess, like many other board games, has included a game board marked with squares or similar. The squares or other markings show, in known games, the permitted locations of the pieces. In the game of chess, only one piece can fit on a square and each piece must remain on the game area marked with squares.

The object of the invention is to create a boardless game, on the board or similar base of which no squares or other markings are required to show the permitted places of the pieces. The characteristic features of the invention are described in the accompanying Patent Claims. In a game according to the invention, no squares are required, because the pieces always move a measurable distance in a set direction. Contact between the pieces is defined by means of the intersection of the individual areas, which replaces moving to a square.

In the following, the invention is illustrated by reference to the accompanying Figures, which present one game according to the invention and the construction of its pieces.

- Figure 1 shows the devices of boardless chess.
 Figures 2 & 3 show the construction of the pieces used in the game.
 Figures 4a & 4b show the alternative aggressiveness of the pieces.

The game area is a limited two-dimensional surface, which is formed by game board 1, in which the boundaries 2 are defined by a feature. In this example, the edge of the circular game board 1 forms the aforesaid boundary. Each player has a group 3 and 3' of sixteen pieces, as in normal chess, each comprising a king, a queen, two castles, two bishops, two knights, and eight pawns. Each piece has a circular area around it, which is defined by the area of the base of the piece.

In the initial arrangement, the pieces are placed so that on the White side the king and queen are in the middle, with the queen on the left. To the left and right of them there are, in order, a bishop, a knight, and a castle. Each is in its own area, so that the areas border one another. In front of these so-called noblemen are eight pawns, so that the area of each pawn touches the area of the nobleman behind it. At a distance of five area measures at right-angles to the pawns (there are four completely empty areas between), there is a straight line of Black pawns, behind which are correspondingly Black noblemen. The Black queen directly faces the

White queen. In the initial setup, there are six area measures between the Black and White kings. The extent of the area of the game is defined by drawing a circle, the centrepont of which is the centrepont of the line segment between the Black queen and the White king. Though the game can be played on any level base whatever, the most advantageous game generally has a base, a particular game board, in which this delimitation has been ready made, as in this case.

In Figures 2 and 3, the construction of a knight 3.4 is used to exemplify the construction of the pieces. The definition of the location of a piece takes place according to a direction scale 11 printed on the upper surface of the base 8 of the piece. The direction device 10, a measuring rule or tape, at the base of the piece, which is attached to a rotating ring, is turned in the chosen direction and the movement of the piece is read from the set scale of the direction device. Its length is a measure of 10 areas for a bishop, castle, and queen, a measure of 3 areas for a knight, and a measure of 2 areas for other pieces.

Before the direction is set, the piece must be placed at right-angles to the setup of the game. This takes place with the aid of direction indicator 4, see Figure 1. Direction indicator 4 is on the left when viewed from the White player's position and it has a button moving in a groove 5 in the centre, from which there is a measuring rule 6 that can be moved to the right. At the beginning of the game, direction indicator 4 is set parallel to a straight line drawn between the White and Black kings.

At the beginning of the game, both players have sixteen 'Black' or 'White' pieces. Each has one king, one queen, two castles, two knights, two bishops, and eight pawns. The number and setup of the pieces are thus the same as in 'conventional' chess.

The game's aim, opening procedure, and rules for moves are the same as in normal chess, except the alterations described later.

Each piece can move from the point of departure within the framework of the predetermined rules. A piece cannot move to such a place that belongs to the area of another piece on its own side, nor to such a place that belongs to the area of one of the opponent's pieces. If the area of a moved piece intersects the area of one of the opponent's pieces, this latter is 'taken' and removed from the area of the game. Only the knight and bishop may move over the areas of the other pieces. The area of a piece may not intersect the boundary of the area of the game. The definition of an area takes place in practice by the piece having a flat circular disc as a base, i.e. the aforesaid base 8, the surface area of which is the same as the area of the piece. In the piece, there is also a concentric inner ring 9, the so-called inner area, the diameter of which is half the diameter of the entire area.

The aggressiveness of the pieces can be selected according to Figures 4a and 4b. At the separately agreed start of a game, the aggressiveness of the

pieces can be reduced by moderating the intersection rule concerning the intersection of the area (base 8) and the inner area (ring 9). The result of this moderation is that the pieces can also be located next to one another so that the ring-shaped zones remaining between the edge of the inner area and the edge of the entire area of the piece intersect one another.

Moves of individual pieces.

- The castle moves from the north in the directions 0°, 60°, 120°, 180°, 240°, and 300°, while the number of steps in its move is not limited, provided the route is otherwise unobstructed. 5
- The bishop moves two areas at a time in the directions 30°, 90°, 150°, 210°, 270°, and 330°. If there are other pieces in the areas between, the bishop jumps over them. As in the case of the castle, the number of steps in the bishop's moves is not limited. 15
- The knight moves over three areas at a time in the directions 20°, 40°, 80°, 100°, 140°, 160°, 200°, 220°, 260°, 280°, 320°, 340°, one step at a time. If there are other pieces in the areas in between, the knight jumps over them. 25
- The queen moves in the same way as the castle and bishop together. 30
- The king moves like the queen, but only one area measure at a time. Castling is a king's move complemented by the castle's move. It is counted as a single move and takes place as follows; the king remains in place or else moves next to a castle that is on the same horizontal level, after which the castle moves over the king, if the area on the other side of the king is free. Castling is impossible if one or other of the pieces, the king or the castle has already been moved. Castling is temporarily prevented, if the king is threatened by one of the opponents' pieces. 35
- The pawn moves forward only by the amount of its own area. Only the initial move may be of two areas, if the area between is completely free. The pawn takes from its area to a distance of one step in a direction of $\pm 30^\circ$ forwards. A pawn, which threatens an area that a pawn from the opponent's original area has passed in a move of two steps, may, immediately on the next move (and only then), take the opponent's pawn, just as if the latter had moved only one step. This special rule is termed taking *en passant*. Every pawn that has been able to move more than six areas from its original position must during the same move and irrespective of the other remaining pieces, be changed into a queen, castle, bishop, or knight of the same colour, 45

as the player wishes. The transformation of the pawn is termed elevation and comes into force immediately.

Check, checkmate, and stalemate are defined as in conventional chess.

In the wall version, the pieces are attached to the base by magnets or some Velcro-like device. Gravity replaces a separate direction indicator.

Claims

1. A game, especially chess, comprising a game board (1), or other delimiting devices, delimiting a level game area (2), a group (3, 3') of pieces for each player, comprising a group of pieces, such as a king, queen, 2 castles, 2 bishops, 2 knights, and 8 pawns, characterized in that in each piece there is at least one member showing the individual area of the piece, for example, a base disc (8), and that the game includes at least one direction scale (11) and move distance measuring device (10) for moving a piece a certain distance in a certain direction, according to the rules of the game. 20
2. A game according to Claim 1, characterized in that the direction scale (11) is printed on the base disc (8) of each piece. 25
3. A game according to Claim 1 or 2, characterized in that each piece includes a second member showing the individual area, for example a smaller ring (9) placed above the base disc (8) so that the base disc of an opposing piece extends into this second individual area. 30
4. A game according to Claim 1 or 2, characterized in that the game includes a separate direction indicator (4), which comprises a transverse measuring rule (6) moving on a linear guide (5), for maintaining a standard basic direction throughout the game. 35
5. A game according to one of Claims 1 - 4, characterized in that the measuring device of the distance of the move consists of a measuring rule, in which there is a distance scale as a multiple of the base disc (8) of the piece. 40




Fig. 1




Fig. 2




Fig. 4a




Fig. 4b




Fig. 3

THIS PAGE BLANK (USPTO)

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 850 671 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
08.12.1999 Bulletin 1999/49

(51) Int. Cl.⁶: A63F 3/02

(43) Date of publication A2:
01.07.1998 Bulletin 1998/27

(21) Application number: 97660129.4

(22) Date of filing: 26.11.1997

(84) Designated Contracting States:
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Kyppö, Jorma**
41325 Laukkavirta (FI)

(30) Priority: 27.11.1996 FI 960588 U

(74) Representative:
Helke, Kimmo Kalervo
Kespat Oy,
P.O. Box 601
40101 Jyväskylä (FI)

(71) Applicant: **Kyppö, Jorma**
41325 Laukkavirta (FI)

(54) Game, especially chess

(57) The game comprises a game board (1), or other delimiting devices, delimiting a level game area (2) and a group (3, 3') of pieces for each player. In each piece there is at least one member showing the individual area of the piece, for example, a base disc (8). The game includes at least one direction scale (11) and move distance measuring device (10) for moving a piece a certain distance in a certain direction, according to the rules of the game.




Fig. 3

EP 0 850 671 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 97 66 0129

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	US 4 226 419 A (N. R. WOODEN) 7 October 1980 (1980-10-07) * column 1, line 58 - column 2, line 6 *	1	A63F3/02
Y	* column 3, line 58 - column 4, line 38 *	2	
Y	* column 6, line 11 - line 50 *	2	
Y	FR 632 269 A (I. L. LESAVOY) 6 January 1928 (1928-01-06)	2	
A	* page 1, line 7 - page 2, line 40 *	1,3	
X	US 3 642 286 A (R. L. MOORE) 15 February 1972 (1972-02-15) * column 1, line 73 - column 2, line 23 *	1	
A	US 4 936 585 A (A. J. LOONEY ET AL) 26 June 1990 (1990-06-26) * column 1, line 13 - line 64 *	1-3	
A	* column 3, line 3 - line 33 *		
A	GB 2 299 519 A (G. A. P. LYONS) 9 October 1996 (1996-10-09) * page 2, line 16 - page 4, line 4 *	1,2	TECHNICAL FIELDS SEARCHED (Int.Cl.6)
A	* page 13, line 5 - page 15, line 5 *		A63F
A	GB 1 548 931 A (SHIN-SHIRASUNA ELECTRIC CORPORATION) 18 July 1979 (1979-07-18) * page 1, line 23 - line 54 *	1	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 20 October 1999	Examiner Geffen, N
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03 82 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 97 66 0129

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

20-10-1999

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4226419	A	07-10-1980	NONE	
FR 632269	A	06-01-1928	NONE	
US 3642286	A	15-02-1972	NONE	
US 4936585	A	26-06-1990	NONE	
GB 2299519	A	09-10-1996	NONE	
GB 1548931	A	18-07-1979	JP 51125550 A	02-11-1976
			AT 359880 B	10-12-1980
			AU 1321776 A	27-10-1977
			BE 840974 A	16-08-1976
			BR 7602461 A	19-10-1976
			CH 615592 A	15-02-1980
			DE 2616935 A	28-10-1976
			DK 179876 A	23-10-1976
			FR 2308392 A	19-11-1976
			NL 7604166 A	26-10-1976
			SE 7604596 A	22-10-1976

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)